INDEX

PETROLEUM REFINER

SPECIALIZED FOR THE OIL REFINING INDUSTRY, INCLUDING PETRO-CHEMICAL ENGINEERING, PETROLEUM SYNTHETICS AND NATURAL GASOLINE

A Gulf Publishing Company Publication

1946 . . . Volume 25

A

Abercrombie, J. S., Company, i 17.
Absorber operating efficiency, xi 582.
Absorber pressure, effect on compressor horsepower, v 207.
Absorber pressure, general factors affecting, v 206.
Absorber residue, isobutane (+) in, iv 169.
Absorption factor chart, xi 582.
Absorption, high-pressure, v 206.
Absorption in the ultraviolet, viii 390.
Absorption spectroscopy, vi 290.
Absorption, high- and low-pressure in McCarthy's Winnie gasoline plant, vii 307.
Acetaldehyde, v 216.
Action of Lube Oil Detergents on Automotive Engines—Franklin M. Watkins, i 1.
Adsorbents, fullers earth as binder for, ii 69.
Abstracts, Science and Technology*.
Agricultural uses of petroleum*
Air compressor operation, safe practices, vi 283.
Air supply for instruments, x 478.

ALBRIGHT, JOHN C.—
Automatic Fire System Guards Gasoline Plant, viii 382.
Aliphatic and aromatic solvents, ix 417.
Alkylate, xi 527.
Alkylates and hydrocodimeters, analysis of, xi 527.
Alkylation of Hydrocarbons, digest of patents*.
Alkylation, hydrofluoric acid, corrosion iii 97.
Alkylation process, viii 403.
Alkylbromide, ii 56.
Alkyl sulfates, ii 53.
"Alloy-Skeleton" catalysts, ix 428.
Aluminum chloride catalyst, disposal of, vii 306.
A. & M. College of Texas, vii 313.
American Chemical Society, abstracts of papers before Division of Petroleum Chemistry*,
American Chemical Society, x 482; Wichita Section, ix 413.
American Gas Association, orifice meters, viii 398.
American Institute of Chemical Engineers, viii 397.
American Petroleum Institute—Papers before annual meeting, xi 527, 563, 570, 576.
American Petroleum Institute Committee on Disposal of Refinery Wastes, vii 299.
American Society of Mechanical Engineers, iii 129.
American Society of Mechanical Engineers, orifice meters, viii 398.

AMERO, R. C.—
(Co-author) Fullers Earth as a Binder for Catalysts and Adsorbents, ii 69.
Ammonia—Its Production from Natural Gas—Guy S. Mitchell, vi 245.
Ammonia in industry, vi 259.
Ammonium nitrate, vi 247.
Analysis of Alkylates and Hydrocodimers—Augustus R. Glasgow, Jr., Anton J. Streiff, Charles B. Willingham and Frederick D. Rossini, xi 527.
Analysis, laboratory, vii 323.
Analysis of Rigid Knee-Braced Bents Used in Petroleum and Chemical Plants—Wesley H. Blank, xii 621.
Analysis, spectroscopic, vi 289.
Anchor Bolt Calculations—S. M. Jorgensen, v 211.
An Evaluation of Sulfur Compounds in Gasoline—F. C. Moriarty, x 490.
Anglo-Iranian Oil Company, vi 289.
Anti-friction bearing greases, ii 61.
Antiknock Properties of Materials Resulting From Superfractionation of Natural Gasoline—A. W. Logatski and H. R. Logatski, v 223.
Anti-pollution laws, vii 299.
Anomalous flow of lubricating oils, vii 344.
A. P. I. Hydrometer Indication Table—High Temperature Extension—John Griswold, vi 234.
Ardmore, Oklahoma, salt removal at Ben Franklin Refining Company, iv 180.
Arkansas Fuel Oil Company, vi 282.
Aromatization, viii 403.
Aromatization reaction, ix 432.
Arp, Texas, Independent Refining Company plant operation, vii 322.

ASHE, HAROLD J.*—
Asphaltic-base oils, ii 57.
Asphalt burns, treatment of, iii 101.
Atlantic Refining Company, The, xi 575.
Atmospheric nitrogen, vi 245.
Atmospheric synthesis, product distribution, x 494.

ATTAWAY, DON—
Safe Practices for Air Compressor Operation, vi 283.

ATWOOD, E. H.—
Mixing Device for Large Charge Stock Tanks, iii 139.
Automatic Control of a Fluid Catalytic Cracking Unit—M. MacDonald, x 471.
Automatic Fire System Guards Gasoline Plant—John C. Albright, viii 382.
Automotive Engineers, Society of, i 42.
Automotive engines, action of lube oil detergents on, i 1.
Automotive Section, National Bureau of Standards, i 42.
Aviation and motor fuel, sulphuric acid refining, vi 278.
Aviation fuel specifications, viii 404.
Aviation gasoline, xi 575.
Aviation gasoline blending agents, viii 410.
Aviation gasoline components, viii 404.

B

BAILEY, A. J.—
A Mercury-Balance Pressure Regulator, iii 139.

BAINBRIDGE, EUGENE—
Refinery Process Control Instruments, Part 1—Flow Metering and Liquid Level, iii 113; Part 2—Temperature and Pressure, iv 195.
Ball-bearing greases, ii 61.

BARTH, E. J.—
(Translations) Recent Advances in the Chlorinated Paraffins, i 38; Lubricants from Ethylene Condensations, iii 121; Heat of Wetting of Metal Surfaces by Oils, iii 133; Relation of Octane Number and Peroxide Content of Catalytic Gasoline, vi 286; Industrial Emulsions, vii 261; Lubricant Tests by the Four-Ball Oil Tester, ix 467; Physical Properties and Chemical Constitution of Lubricating Oils, x 521; Fractionation of Petroleum, xii 653.

* See News, Statistical and Service Features Index below.

Basic Oxygenated Chemicals from C_1, C_2, and C_3 Paraffins and Olefins—John C. Walker and Howard L. Malakoff, xii 607.

Basic Petroleum Chemistry for Refinery Employes—J. J. Stadtherr: Chapter I, Fundamentals, iii 127; II, Naming Hydrocarbons, iv 192; III, Chemical Composition of Crude Petroleum, v 230; IV, Changing the Structure of Petroleum Molecules, vi 279; V, Catalytic Cracking Processes, vii 327; VI Manufacture of Aviation Gasoline Components, viii 404; VII, Petroleum Impurities and Treating Methods, x 507.

Baton Rouge, Ethyl Corporation water clarification plant, ix 460.

Baton Rouge Refinery's Good Safety Record—Arthur J. Ferguson, vi 260.

Baytown, laboratory, vii 333.

Beaumont refinery, Magnolia Petroleum Company waste reclamation, ix 443.

Bearing greases, ball and roller, ii 61.

Bechtel Brothers McCone Company, xi 582.

BECKETT, W. J.—

Rotameters, ii 91.

Bed process, gasoline treating, x 510.

Ben Franklin Refining Company, crude oil de-salting, iv 180.

Bents, rigid knee-braced, xii 621.

BERGSTROM, E. V.—

(Co-author) Simplicity and Flexibility of Thermofor Catalytic Cracking, v 237.

BEUTHER, H.—

(Co-author) Naphtha Polyforming, xi 554; Naphtha Polyforming With Outside Gas, xi 563.

BIKERMAN, J. J.—

Fundamentals of Consistency and Viscosity (Part 2), i 23; (Part 3), ii 72.

Binder for catalysts and adsorbents, fullers earth for, ii 69.

BLAIR, CHARLES M., JR.—

Selection and Application of Break-Inducing Reagents in Doctor Treating, viii 379.

BLAND, R. E., and E. A. SMITH—

Earnings A Function of Catalyst Activity, viii 383.

BLANK, WESLEY H.—

Analysis of Rigid Knee-Braced Bents Used in Petroleum and Chemical Plants, xii 621.

Blending agents, high-octane, viii 405.

BLUDWORTH, J. E.—

Chemicals from Lighter Hydrocarbons, v 216.

BOARDMAN, HARRY CLOW—

Storage of Volatile Petroleum Products, iv 149.

Boiler water, viii 411.

Boiler-Water Conditioning at Talco Refinery—C. G. Rook, Jr., xii 639.

Boiling and Condensing Film Coefficients for Water and Normal Hexane—Donald L. Katz, George H. Hanson, Harold S. Kemp and Edward G. Opdyke, ix 419.

BOLLES, W. L.—

Rapid Graphical Method of Estimating Tower Diameter and Tray Spacing of Bubble-Plate Fractionators, xii 613.

Bolt, anchor, v 211.

BONDI, A.—

Physical Chemistry of Lubricating Oils, Part I, vi 269; Part II, vii 337; Part III, viii 387.

BOTTOMLEY, HAROLD—

Furnace Tube Decoking with Steam and Air, viii 377.

BOYD, DAVID M., JR.—

Control of Fractionation Columns, iv 187.

Braun, C. F., & Company, xii 645.

Break-inducing reagents in doctor treating, selection and application of, viii 379.

Brominated alkylthiocyanate, ii 56.

BROOKS, DONALD B.—

A Review of the Development of Reference-Fuel Scales for Knock Rating, i 42.

BROWN, BRUCE K.*—

Brown Instrument Company, iii 129.

Bubble-plate fractionators, estimating tower diameter and tray spacing, xii 613.

Bulletin boards in safety program, vi 260.

Burns, treatment of hot plastic, iii 101.

BURROUGHS, L. C.—

Disposal of Refinery Wastes, vii 299.

Bushnell Controls & Equipment Company, ii 91.

Butane-isobutane fractionation, iv 164.

Butanes, properties of, i 17.

C

Calculation of Minimum Reflux Ratio for Multicomponent Distillation—F. D. Mayfield and J. A. May, iv 141; (see correction, x 524).

Calculation of Solvent Extraction Equilibria—V. A. Kalichevsky, x 483.

California Natural Gasoline Association, iii 105; iv 169; xi 582.

California Research Corporation, iv 169; xii 629.

Caminol Company, Them termal reforming unit, xii 651.

CAPELL, R. G., R. C. AMERO and W. H. WOOD—

Fullers Earth as a Binder for Catalysts and Adsorbents, ii 69.

Carbide and Carbon Chemicals Corporation, ii 79.

Carbon black consumption, i 9.

Carbon disulphide, ii 53.

Carbon monoxide, hydrogenation patents*.

Carthage field, United Gas Pipe Line Company's gasoline plant, ix 447.

Caustic embrittlement, viii 411.

Caustic soda for treating gas, x 508.

Caustic soda, spent, disposal, vii 304.

Caustic soda wash, ii 49.

Caustic scrubbing, gasoline, x 510.

Custic washing, x 510.

Catalyst activity, viii 383.

Catalyst, fluid, technique, ix 435.

Catalyst loss, viii 383.

Catalyst make-up, viii 383.

Catalyst make-up rate, TCC unit, v 237.

Catalyst, rapid analysis of Fischer synthesis, vi 265.

Catalyst temperatures, viii 38

Catalysts and reaction mechanisms, synthine process, ix 403.

Catalysts, fullers earth as binder for, ii 69.

Catalytic cracking processes, vii 327.

Catalytic cracking, sulphuric acid, vi 275.

Catalytic cracking unit, fluid, Kellogg, vi 298.

Catalytic cracking, Thermofor, v 237.

Catalytic desulfurization, x 490; x 511.

Catalytic gasolines, relation of octane number and peroxide content, vi 285.

Catalytic synthesis, ix 423.

Celanese Corporation of America, v 216.

Centrifugal desalting processes, x 508.

Cetane Number of Diesel Fuel From Average Boiling Point and Density by Nomograph—W. C. Frisbe, x 517.

CFR Exchange Groups, i 42.

Champlin Refining Company, xi 596.

Chicago Bridge & Iron Company, iv 149.

Chemical constitution of lubricating oils, x 521.

Chemical composition of crude petroleum, v 230.

Chemical desalting, x 507.

Chemicals from Lighter Hydrocarbons—J. E. Bludwort, v 216.

Chemicals from natural gas, i 11.

Chemicals, oxygenated, from paraffins and olefins, xii 607.

Chemicals from synthesis of gas, x 503.

Chemical treatment of boiler water, Talco refinery, xii 639.

Chemicals used in gasoline treating, x 510.

Chemistry of detergents, i 1.

Chemistry of isomerization, i 19.

Chlorex, x 484.

Chlorinated paraffins, i 36.

Cities Service Oil Company, xii 607.

Cities Service Refining Company, iv 195.

Clay catalyst, viii 393.

CLINEDINST, W. O.—

Super-Expansibility of Methane-Ethane Mixtures, vi 296.

Coal resources, United States, xi 589.

Coal, synthesis gas from, viii 358.

Coal, underground gasification of, viii 359.

COATS, H. B.*—

Cobalt complex catalysts, ix 426.

Cobalt-iron catalysts, ix 426.

Coefficients of heat transfer—condensation of steam, ix 421.

Coke-oven gas, viii 358.

Coke, removal from furnace tubes with steam and air, viii 377.

Colburn method, iv 144.

Color of lubricating oils, measurement of, viii 387.

Coloring substances in lubricating oils, viii 388.

Commercial TCC Operations on Partially Vaporized Charge Stocks—H. D. Noll, A. W. Hoge and D. M. Luntz, xi 589.

Composition of natural gas before and after removal of higher hydrocarbons, i 8.

Compounded oils, i 3.

Compressor horsepower, effect of absorber pressure on, v 207.

Compressors, air, safe practices in operation of, vi 282.

Concrete Piers for Horizontal Storage Tanks—O. L. Garretson and Harry R. Zeigler, ix 457.

Consistency and Viscosity, i 23; ii 72.

Construction, refinery, cost accounting, i 30.

Control equipment, fundamentals of, i 38.

Control of Fractionation Columns—David M. Boyd, Jr., iv 187.

Control instruments, process, iii 113.

Control, measurement of dead time, iii 129.

Control, Automatic, of Fluid Catalytic Cracking Unit, x 471.

Controlled oxidation in synthesis gas production, viii 364.

Cooling water, viii 411.

Coordinating Fuel Research Committee, i 42.

Coordinating Research Council, i 42.

Copper processes, gasoline treating, x 510.

Correlation of Operating Variables in the Polyform Process—Joel H. Hirsch, P. Ostergaard and W. C. Offutt, xi 570.

Corrosion, desalting equipment, ix 465.

Corrosion in Hydrofluoric Acid Alkylation—F. A. Prangle and R. A. Findlay, iii 97.

Corrosion, mechanism of, ii 50.

Corrosion Problems in the Cracking of Shale Oil—George E. Mapstone and C. B. McLaren, ii 49.

Corrosion, rates in HF alkylation, iii 98.

Corrosion in shale oil cracking, ii 49.

Corrosive sulfur, ix 416.

CORTELYOU, CURTIS—

Fundamentals of Control Equipment, i 38.

* See News, Statistical and Service Features Index below.

Cost Accounting in Refinery Construction—Robert C. Lewis, i 30.
Cycloversion catalytic cracking, vii 329.
Cracked gasoline in aviation fuel, viii 404.
Cracking of shale oil, corrosion in, ii 49.
CRF-AFD Aircraft Fuel Knock Rating Scale Group, i 42.
Crude Oil De-Salting in Refinery Operations—F. Duane Fuqua, iv 180.
Crude oil, salt content, vii 314.
Crude oils, sulfur content of, ix 413.
Crude petroleum, chemical composition, v 230.
Cutting oils, vii 351.
Cycling*.

D

DANIELS, L. S.—
Dead time measurement in process control, iii 129.
Efficient Operation Obtained in East Texas Refinery, vii 322.
Fluid Catalyst Technique, ix 435.

DEAN, JOHN C.—
Industrial Use of Petroleum Waxes, v 201.

DEAN, M. R.—
(Co-author) Water Content of Propane, xii 635.
Dearborn Chemical Company, viii 411.
Decoking with steam and air, viii 277.
Deethanization of fat oil, xii 645.
Deethanizing, vii 311.
Dehydration, gas, diethylene glycol, ii 67.
Dehydration unit, Carthage gasoline plant, ix 451.
Dehydrogenation patents*.
Del Valle Gasoline Company, automatic fire system, gasoline plant, viii 382.
Density and chemical composition of hydrocarbons and lubricating oils, vi 270.
Density of liquids, vi 269.
Density-temperature coefficient, vi 271.
Density of water, iii 132.
Desalting, ix 463.
Desalting with chemicals, x 507.
Desalting of Petroleum with Fiberglas Packing—C. G. Kirkbride, vii 313.
Desalting, relation of temperature, vii 316.
Design of Concrete Piers for Horizontal Storage Tanks—O. L. Garretson and Harry R. Zeigler, ix 457.
Design of Instrument-Air-Supply System for the Process Industry—W. C. Ludi, x 478.
Desulfurization, catalytic, x 510.
Desulfurization of gasoline, x 490.
Desulfurization processes, ix 414.
Dewaxing, effect on viscosity, vii 347.
Detergents, chemistry of, i 1.
Detergents, physical action of, i 3.
Didier gas generator, viii 359.
Dielectric constant and dipole moment, viii 393.
Dielectric strength of lubricating oils, viii 395.
Diesel fuel, cetane number from average boiling point and density by nomograph, x 517.
Diesel fuel, sulfur compounds in, ix 418.
Diesel oil, synthine, x 497.
Diethylene Glycol Plant Dehydrates Gas to Exact Specification, ii 67.
Diethylsulfate, ii 57.
Digest of United States Patents*.
Dimethylsulfate, ii 57.
Dipole moment and dielectric constant, viii 393.
Discharge coefficient viii 403.
Disposal of Refinery Wastes—L. C. Burroughs, vii 299.
Disposal of spent caustic soda solutions, vii 304.
Disposal of waste gases, vii 306.
Doctor, gasoline treating process, x 510.
Doctor treating, selection and application of break-inducing reagents, viii 379.
Dow Chemical Company, The (Freeport, Texas) iv 141.
Dresden, Technical High School, iii 121.

DUNN, J. H.*—
Duo-Sol Process, x 512.
du Pont de Nemours & Company, E. I., ix 419.

E

Earnings—A Function of Catalyst Activity—R. E. Bland and E. A. Smith, viii 383.

ECKMAN, DONALD P.—
The Effect of Measurement of Dead Time in the Control of Certain Processes, iii 129.
Edible fats from gas synthesis, x 502.
Efficient Operation Obtained in East Texas Refinery—L. S. Daniels, vii 322.

EGLOFF, GUSTAV*—
Electric conductivity and related phenomena (lubricating oils), viii 394.
Electric voltage in oil refineries, ii 65.
Electrochemistry of lubricating oils, viii 396.
Electrolysis of water, viii 367.
Electrolytic desalting process, x 508.
Electromagnetic spectrum, vi 289.
Electronic potentiometer, iv 197.
El Dorado, Arkansas, Lion Oil Company Chemical Division, vi 245.
Emulsions, handling in waste disposal, vii 302.
Emulsions, cutting oils, vii 351.
Engines, automotive, action of lube oil detergents on, i 1.

EPLER, WALTER N.—
Manufacture and Repair of Glass Laboratory Apparatus, v 227.
Equilibrium vapor pressure of water, ii 93.
Ethane-methane mixtures, super-expansibility of, vi 296.
Ethyl Corporation, Baton Rouge water clarification system, ix 460.
Ethylene condensations, synthetic lubricants from, iii 121.
Explosion hazards, air compressors, vi 282.
Evaluation of Absorber Operating Efficiency—E. G. Ragatz and J. A. Richardson, xi 632.
Evaluation and Manufacturing Methods of Ball- and Roller-Bearing Greases—Albert E. Hickel, ii 61.
Evaluation of Sulfur Compounds in Gasoline—F. C. Moriarty, x 490.
Evaporation losses, methods of preventing and reducing, iv 152.
Evaporation of petroleum products, iv 151.
Eyring's theory, flow, vii 340.

F

Farm uses of petroleum*.
Fat Oil Deethanization—A. M. Whistler, xii 646.
Fatty acids from gas synthesis, x 500.

FERGUSON, ARTHUR J.—
Baton Rouge Refinery's Good Safety Record, vi 260.
Ferrous sulphide, ii 50.
Fiberglas packing, desalting of petroleum, vii 313.
Field Heat Treating of Refinery Piping—W. H. Fortney, xii 632.

FIELD, H. W., and D. W. GOULD—
Project 6 Spotlights Avgas Progress, xi 575.
Field-Pressure gasoline plant, United Gas Pipe Line Company, Carthage, ix 447.
Filling and storage losses, iv 153.
Filling losses from pressure containers, iv 154.
Filters, in waste disposal, vii 303.
Filters, non-polar, i 3.

FINGER, JOSEPH S.—
Fundamentals of Isomerization for Operators, i 17.
Fingerprinting Hydrocarbons and Compounds, vii 333.

FINDLAY, R. A.—
(Co-author) Corrosion in Hydrofluoric Acid Alkylation, iii 97.
Fire in refining plants, role of water in conquering, x 513.
Fire protection, automatic system at gasoline plant, viii 382.
Fire system, automatic, guards gasoline plant, viii 382.
First aid in treatment of hot resin burns, iii 101.
Fischer, Franz, viii 356.
Fischer synthesis catalyst, rapid analysis, vi 265.
Fischer-Tropsch catalysts and reaction mechanisms, ix 423.
Fischer-Tropsch process, i 13; viii 356.
Fischer-Tropsch products, composition of typical, i 13.
Fletcher Oil Company unit for removing hydrogen sulfide from cracking-plant gases, x 505.
Florida-Georgia fullers earth, ii 69.
Floridin, ii 69.
Florigel, ii 69.
Flow calculations for orifice meters with flanged taps, viii 398.
Flow Diagrams—
Ammonia plant, Lion Oil Company, vi 249.
Ammonia plant—reform, vi 249.
Ammonium nitrate, vi 257.
Batch-fractionation column, iv 191.
Ben Franklin salt removal, iv 150.
Butane and lighter fractions v 225.
Butane-isobutane fractionation, iv 168.
Butane Isomerization Process, viii 409.
Caminol Company reforming unit, xii 651.
Carthage plant, United Gas Pipe Line Company, ix 448.
Catalyst section, fluid unit, v 234.
Catalytic polymerization, thermal cracking and crude topping, vii 326.
Combination crude topping, thermal cracking and polymerization unit, vii 325.
Continuous Doctor-Treating Process, x 510.
Crude topping, thermal cracking and polymerization unit, vii 325.
Cycling plant, Shell Oil Company, Sheridan, Texas, iv 161.
Cycloversion catalytic cracking process, vii 328.
Deethanizer, fat oil, xii 645.
Desalting equipment, Whiting refinery, ix 463.
Desalting pilot plant, fiberglas, vii 314.
Desalting process, electrolytic, x 508.
Electrolytic desalting process, x 508.
Ethyl Corporation water clarification plant, Baton Rouge, ix 461.
Fat oil deethanizer, xii 649.
Fiberglas desalting pilot plant, vii 314.
Fluid Catalytic Cracking Process, vii 332.
Fluid-catalytic cracking unit, v 234.
Fluid Catalytic Cracking Unit (Simplified), x 472.
Fluid catalyst, ix 438.
Frontier Refining Company isomerization unit converted to polymerization, x 477.
Gas dehydrating plant, ii 67.
Gas dehydration unit, United Gas Pipe Line Company's Carthage plant, ix 454.
Gasoline plant, McCarthy, Winnie, vii 308.
Girbotol Gas-Purification System, x 509.
High- and low-pressure absorption, vii 308.
High-pressure cycling plant, iv 161.
Hot Acid Polymerization, viii 405.
Houdry catalytic-cracking process, vii 327.

* See News, Statistical and Service Features Index below.

Houdry catalytic cracking unit, ix 484.
Hydroforming process, vii 228.
Hydrogen Fluoride Alkylation Process, viii 498.
Independent Refining Company, Arp, Texas, vii 225.
Isomerization unit converted to polymerization, x 477.
Isomerization unit, simplified flow diagram, i 19.
Isopentane and heavier fractions, v 225.
Kellogg fluid catalytic unit, vi 298.
Lion Oil Company ammonia plant, vi 249.
Long Beach gas dehydrating plant, ii 67.
McCarthy's Winnie gasoline plant, vii 208.
Magnolia Petroleum Company waster-oil system, ix 445.
Material balance control system, iv 190.
Mercapsol Process, x 511.
Naphtha Polyform Unit, xi 555; (outside gas), xi 564.
Naphtha reforming unit, xii 651.
Phosphate process (Shell) x 508.
Phosphoric Acid Polymerization, viii 406.
Polyform Unit, naphtha, xi 555; naphtha (outside gas), xi 564.
Polymerization, isomerization unit converted to, x 477.
Rectification section temperature control, iv 189.
Refinery operations with TCC and integral visbreaking, v 241.
Refinery operation with TCC and vacuum flashing, v 241.
Refinery waste disposal plant, vii 300.
Reformer, naphtha, xii 651.
Salt removal equipment, Ben Franklin Refining Company, iv 180.
Shell Oil Company's high-pressure cycling plant at Sheridan, Texas, iv 161.
Shell Phosphate Process (gas treating) x 508.
Steam-hydrocarbon plant (hydrogen manufacture), viii 372.
Steam-iron hydrogen plant, viii 371.
Steam-methanol hydrogen plant, viii 375.
Stripping section temperature-control system, iv 188.
Superfractionator column and controls, v 226.
Suspensoid Catalytic Cracking Process, vii 222.
Tannin Solutizer Process, x 511.
TCC catalytic section, v 238.
TCC kiln, v 240.
TCC unit, Socony-Vacuum, xi 602.
Thermal cracking, crude topping and catalytic polymerization, vii 225.
Thermal Cracking Flow Sheet, vi 280.
Thermal processing of crude, v 241.
Thermofor catalytic cracking, vii 330.
Thermofor Catalytic Cracking Unit, v 239.
Topping and vacuum plant, xii 657.
United Gas Pipe Line Company's Carthage gasoline plant, ix 448.
Unisol Caustic-Methanol Process, x 511.
UOP small fluid-catalytic cracking unit, v 236.
Waste disposal, refinery, plant, vii 300.
Waste-oil system, Magnolia Petroleum Company's Beaumont refinery, ix 445.
Water clarification plant, Ethyl Corporation, Baton Rouge, ix 461.
Water conservation system, Texas City, xii 643.
Whiting refinery desalting equipment, ix 463.
Winnie gasoline plant, vii 208.
Flow metering, iii 118.

Fluid-Catalyst Technique—L. S. Daniels, ix 435.
Fluid catalysts, synthesis process, ix 429.
Fluid Catalytic Cracking Process, vii 221.
Fluid Catalytic Cracking Unit, Automatic Control, x 471.

Fluid-Catalytic Cracking Unit for the Smaller Refiner—Davis Read, v 223.

Fluid catalytic cracking unit, Kellogg small, vi 298.
Fluorescence, viii 390.

FOGLE, M. C.—
(Co-author) Naphtha Polyforming, xi 554; Naphtha Polyforming With Outside Gas, xi 563.
Fog nozzles in gasoline plant fire protection, viii 382.
Formic acid, ii 51.

FORTNEY, W. H.—
Field Heat Treating of Refinery Piping, xii 632.
Foster Wheeler Corporation, v 211.
Fouling of heat exchangers, xii 629.
Four-ball oil tester, ix 467.
Foxboro Company, The, viii 398.
Fractionation, vii 211.
Fractionation columns, control of, iv 187.
Fractionation of light hydrocarbons, simplified design for precise, iv 184.

Fractionation of Petroleum—N. Mayer, xii 665.

Fractionators, estimating tower diameter and tray spacing, xii 613.

FREUND, M.—
Physical Properties and Chemical Constitution of Lubricating Oils, x 521.
Freeport, Texas, iv 141.

FRIEDMANN, WALTER, and CARLOS RODRIGUEZ—
Sulfur Compounds From Pahuco Gasoline, ii 63.

FRISHE, W. C.—
Cetane Number of Diesel Fuel From Average Boiling Point and Density by Nomograph, x 517.
Frontier Refining Company, x 475.

Fullers Earth as a Binder for Catalysts and Adsorbents—R. G. Capell, R. C. Ahlers and W. H. Wood, ii 69.

Fundamentals of Control Equipment—Curtis Cortelyou, i 38.

Fundamentals of Consistency and Viscosity (Part 2)—J. J. Bikerman, i 23; (Part 3), ii 72.

Fundamentals of Isomerization for Operators—Joseph S. Finger, i 17.

FUQUA, F. DUANE—
Crude Oil De-Salting in Refinery Operations, iv 180.
Furfural, x 434.
Furfural Process, x 512.

Furnace Tube Decoking With Steam and Air—Harold Bottomley, viii 377.

Fusel oil, x 484.

G

GARRETSON, O. L., and HARRY R. ZEIGLER—
Design of Concrete Piers for Horizontal Storage Tanks, ix 457.
Gas—see Natural Gas.
Gas, chemicals, i 11; dehydration, ix 451; dehydration, diethylene glycol, ii 67; increased domestic use, i 14; impurities in refinery and natural, x 508; reserves, xi 591; liquefied, marketed production, i 10; natural, utilization in the United States, i 6.
Gas turbine, jet-propulsion, ii 94.
Gases, waste, disposal of, vii 306.
Gasoline, aviation, components, viii 404; catalytic, relation of octane number and peroxide content, vi 285; production, potential from oil, natural gas and coal, i 14; Reid Vapor Pressures, chart, iv 151; sulfur compounds in, x 490; sulfur specifications, ix 417; sulphuric acid refining, vi 275; treating processes, classification of, x 510.
Gasoline plant, field pressure, Carthage, ix 447.
Gasoline plants, refrigeration, iii 105.
Gauges, pressure, iv 200.
General Electric Company, gas turbine, ii 94.
General Petroleum Corporation, i 38; xii 649.
Georgia School of Technology, viii 355.
German Aviation Institute, ix 467.
German methods, gas synthesis, viii 358.

GIBLIN, PERCY—
(Co-author) Reclamation of Waste at Beaumont Refinery of Magnolia Petroleum Company, ix 443.

GILL, F., and R. R. GORDON—
Spectroscopic Analysis in the Petroleum Industry, vi 289.
Girbotol Process, x 509.
Girdler Corporation, The, viii 367.

GLASGOW, AUGUSTUS R., JR., ANTON J. STREIFF, CHARLES B. WILLINGHAM and FREDERICK D. ROSSINI—
Analysis of Alkylates and Hydrocodimers, xi 527.
Glass fiber as coalescing medium in desalting of crude oil, ix 465.
Glass laboratory apparatus, v 227.
Glen Davis, New South Wales, ii 49.
Glycol, diethylene, gas dehydration, ii 67.

GORDON, R. R.—
(Co-author) Spectroscopic Analysis in the Petroleum Industry, vi 289.

GOULD, D. W.—
(Co-author) Project 6 Spotlights Avgas Progress, xi 575.
Government research on synthetic fuels, xi 596.
Gray catalytic desulfurization, x 510.
Gray, G. W., cracking patent, vii 227.
Greases, ball- and roller-bearing, ii 61.
Greases, hub-wedge and Curve, x 518.

GREEN, D. H.—
(Co-author) New Synthetic Lubricants, ii 79.
Grinnell Company, x 513.

GRISWOLD, JOHN—
A.P.I. Hydrometer Indication Table—High-Temperature Extension, vi 284.
Groff's viscosimeter, vii 338.
Gulf Oil Corporation, xi 554, 563, 570.
Gulf Refining Company, McAfee patent, vii 228.
Gulf Research and Development Company, xi 554, 563, 570, 587.

H

HALE, CECIL H.—
Rapid Analysis of Fischer Synthesis Catalyst, vi 265.

HANSON, GEORGE H.—
(Co-author) Boiling and Condensing Film Coefficients for Water and Normal Hexane, ix 419.
Harrison Oil Company, i 17.

HARTE, C. R., JR.—
(Co-author) Pilot-Plant and Commercial Desalting, ix 463.

HAYES, ELMER W.—
Resistance Thermometry, xii 649.
Heat content of fuels, i 8.
Heat exchangers, fouling, xii 629.
Heat treating of refinery piping, xii 632.

Heat of Wetting of Metal Surfaces by Oils—H. H. Herbst, iii 133.

HEATH, J. L., and PERCY GIBLIN—
Reclamation of Refinery Waste at Beaumont Refinery of Magnolia Petroleum Company, ix 443.

HEATH, R. W., J. B. TAYLOR, JR., and P. W. HILL—
Practical Refrigeration for Natural Gasoline Plants, iii 105.

HEINEMANN, HEINZ*—

HERBST, H. H.—
Heat of Wetting of Metal Surfaces by Oils, iii 133.
HF alkylation process, iii 97.

* See News, Statistical and Service Features Index below.

HICKEL, ALBERT E.—
Evaluation and Manufacturing Methods of Ball- and Roller-Bearing Greases, ii 61; Manufacturing Methods and Tests on Hub-Wedge and Curve Greases as Used on Railroad Equipment, x 513.
High- and Low-Pressure Processing Combined in McCarthy Plant—C. C. Pryor, vii 307.
High-Octane blending agents, viii 405.
High-Pressure Absorption—Henry F. Wade, v 206.
High-pressure absorption, vii 309.
High-Temperature Extension—A.P.I. Hydrometer Indication Table, vi 284.
Hilger medium quartz spectrograph, vi 292.

HILL, P. W.—
Co-author) Practical Refrigeration for Natural Gasoline Plants, iii 105.

HIRSCH, JOEL H., P. OSTERGAARD and W. C. OFFUTT—
Correlation of Operating Variable in the Polyform Process, xi 570.

HOGE, A. W.—
(Co-author) Commercial TCC Operations on Partially Vaporized Charge Stocks, xi 599.

HOLDON, K. G.—
(Co-author) Simplicity and Flexibility of Thermofor Catalytic Cracking, v 237.
Horsepower, compressor, effect of absorber pressure on, v 207.
Horizontal storage tanks, design of concrete piers for, ix 457.
Houdry catalytic treating, x 510.
Houdry, Eugene, cracking process, vii 328.
Houdry Process Corporation, v 237, viii 383, ix 453, xi 599.
Houdry reactor design, improved, ix 453.
Hub-wedge and curve greases, x 513.

HUDDLESTON, WILLIAM E.—
Method of Reconditioning Elevated Water Tanks, x 525.
Humble Oil & Refining Company, physical measurements laboratory, vii 333, xii 632.
Humble Way, vii 333.
Huntington Beach oil chillers, iii 109.

HURD, PAUL—
Well Water Conservation at Pan American Refining Corporation Texas City Refinery, xii 642.
Hydrocarbon classification and important sources (chart), i 12.
Hydrocarbon content of oil and gas, v 230.
Hydrocarbons, density of, vi 271.
Hydrocarbons, light, chemicals from, v 216.
Hydrocarbons, light, fractionation, iv 164.
Hydrocarbons, paraffin, physical constants, v 244.
Hydrocarbons, thermal dissociation of, viii 375.
Hydrocarbon Research, Inc., xi 591.
Hydrocodimer, xi 527.
Hydrofluoric acid alkylation, corrosion, iii 97.
Hydroforming process, vii 330.
Hydrogen, viii 367.
Hydrogen cyanide, ii 49.
Hydrogen manufacturing processes, viii 367.
Hydrogen, steam-water gas, analysis, viii 373
Hydrogen fluoride, viii 408.
Hydrogen fluoride, desulfurization with, ix 415.
Hydrogen sulphide, ii 53.
Hydrogen Sulfide Removed from Cracking-Plant Gases, x 505.
Hyrogenation of hydrocarbons and carbon monoxide, patents.*
Hydrometer Indication Table—High Temperature Extension, vi 284.
Hypochlorite process, gasoline treating, x 510.

I

Idle Isomerization Unit Converted to Produce Polymer Gasoline—W. R. Newman, x 475.
Imperial Oil, Ltd., Suspensoid process, vii 332.
Improved Houdry Reactor Design—R. C. Lassiat and C. H. Thayer, ix 453.
Impurities in refinery and natural gas, x 508.
Infrared absorption and Raman spectra, viii 390.
Infrared absorption spectra, vi 294.
Infrared methods, spectrometer, vi 293.
Independent Refining Company, Arp plant operation, vii 322.
Industrial and Engineering Chemistry, iii 139.
Industrial Emulsions—Dr. E. H. Kadmer (trans. E. J. Barth), vii 351.
Industrial Use of Petroleum Waxes—John C. Dean, v 201.
Instrument-air-Supply system for the process industry, x 478.
Instruments, Fluid Catalytic Cracking unit, x 471; fractionation column control, iv 187; pressure, iv 199; resistance thermometry, xii 649; temperature, iv 195.
Instruments—fundamentals of control equipment, i 38.
Instrument Society of America, x 478.
International Lubricant Corporation, vi 269, vii 337, viii 387.
Iron-Cobalt catalysts, ix 425.
Isobutane-butane fractionation, iv 164.
Isobutane (+) fractions in natural gasoline plant absorber residue gases, iv 169.
Isomerization, viii 408.
Isomerization, chemistry of, i 19.
Isomerization, fundamentals of for operators, i 17.
Isomerization, general description of process, i 19.
Isomerization of Hydrocarbons, patents.*
Isomerization unit converted to produce polymer gasoline, x 475.
Isomerization unit, simplified flow diagram, i 18.
Iso-synthesis reaction, ix 432.

J

Jet-Propulsion Gas Turbine—Dale D. Streid, ii 94.

JORGENSEN, S. M.—
Anchor Bolt Calculations, v 211.

K

KALICHEVSKY, V. A.—
Calculation of Solvent Extraction Equilibria, x 483.

KADMER, E. H.—
Industrial Emulsions, vii 351.

KATZ, DONALD L.—
(Co-author) Boiling and Condensing Film Coefficients for Water and Normal Hexane, ix 419.
Kay Fries Chemicals, Inc., ix 419.

KEELING, HARRY J.—
Telemetering and Remote Control, i 40.
Keith, P. C., xi 591.
Kellogg Company, The M. W., x 471; gas synthesis process, xi 595; fluid catalytic unit, vi 298.

KELLY, R. W.—
Water Treatment in Refineries, viii 411.

KEMP, HAROLD S.—
(Co-author) Boiling and Condensing Film Coefficients for Water and Normal Hexane, ix 419.
Kiln, TCC, v 240.
Kinetic viscosity-temperature chart, ii 89.

KIRKBRIDE, C. G.—
Desalting of Petroleum with Fiberglas Packing, vii 313.
Knock rating, reference-fuel scales for, i 42.
Koch, Fred. C., xi 596.
Kolloid Ziet, iii 133.
Koppers water-gas generators, viii 358.

KRATZER, J. C., D. H. GREEN and D. B. WILLIAMS—
New Synthetic Lubricants, ii 79.

KRIENKE, C. F.—
Lubricant Tests by the Four-Ball Oil Tester, ix 467.
Krupp-Lurgi process, viii 358.

KUN, E.—
Motor Voltage Considerations in Oil Refineries, ii 65.
Lactic acid, v 217.
Laboratory analysis, vii 333.
Laboratory apparatus, glass, manufacture and repair, v 227.
La Gloria Corporation, iv 164.

L

LANE, JOHN C., and B. H. Weil—
The Synthine Process (four parts), Synthesis Gas Production and Purification, viii 355; Catalytic Synthesis, Including Catalysts and Reaction Mechanisms, ix 423; Products, By-Products, and Special Topics, x 493; Basic Economics and the Current Situation, xi 587.

LASSIAT, R. C., and C. H. THAYER—
Improved Houdry Reactor Design, ix 453.

LEGATSKI, T. W., and H. R. LEGATSKI—
Antiknock Properties of Materials Resulting from Superfractionation of Natural Gasoline, v 223.

LESLIE, E. H.*—

LEWIS, ROBERT C.—
Cost Accounting in Refinery Construction, i 30.
Lead sulfide, gasoline treating, x 510.
Light hydrocarbons, fractionation, iv 164.
Light oil treating, x 511.
Lighter hydrocarbons, chemicals from, v 216.

LILJENSTEIN, G. M., and W. M. SCHAUFELBERGER—
A Rapid Test for Isobutane (+) Fractions in Natural Gasoline Plant Absorber Residue Gases, iv 169.

LINDAHL, J. P.—
(Co-author) Pilot Plant and Commercial Desalting, ix 463.
Linde Air Products Company, The, ii 79.
Lion Oil Company, Chemical Division, vi 245.
Liquefied petroleum gas;* Marketed production, i 10; sulfur in, ix 417.
Liquefied Propane Storage Insures Refinery Fuel Supply, x 488.
Liquid-level instruments, iii 113.

LOGAN, L. J.*—
Long Beach, California, Wilmington Gasoline Company plant, v 220.
Long Beach gas dehydrating plant, flow diagram, ii 67.
Losses, filling and storage, iv 152.
Lubricant Tests by the Four-Ball Oil Tester—Dr. C. F. Krienke, ix 467.
Lubricants from synthesis of gas, x 499; synthetic, ii 79; synthetic, from ethylene condensations, iii 121.
Lubricating oil treating, x 512.
Lubricating oils, vii 337; electrical and optical properties, viii 387; physical chemistry of, vi 269; physical properties and chemical constitution of, x 521.

LUDI, W. C.—
Design of Instrument-Air-Supply System for the Process Industry, x 478.

* See News, Statistical and Service Features Index below.

Lummus Company, The, ii 85.

LUNTZ, D. M.—
(Co-author) Commercial TCC Operations on Partially Vaporized Charge Stocks, xi 599.
Lurgi process, viii 359.
McAfee, A. M., cracking patent, vii 327.
McCabe-Thiele Diagram for butane-isobutane, iv 166.
McCarthy gasoline plant, Winnie, Texas, vii 307.

M

McLAREN, C. B.—
(Co-author) Corrosion Problems in Cracking of Shale Oil, ii 49.

McREYNOLDS, E. E.—
Streamlined Orifice Calculations, viii 398.

MacDONALD, M.—
Automatic Control of a Fluid Catalytic Cracking Unit, x 471.
Magnolia Petroleum Company, x 483; waste reclamation, Beaumont refinery, ix 443.
Mahogany sulfonates, i 2.

MALAKOFF, HAROLD L.—
(Co-author) Basic Oxygenated Chemicals from C_1, C_2, and C_3 Paraffins and Olefins, xii 607.
Mansfield bill, pollution, vii 299.
Manufacture and Repair of Glass Laboratory Apparatus—Walter N. Epler, v 227.
Manufacturing costs, motor fuels, i 15.
Manufacturing Methods and Tests on Hub-Wedge and Cur[illegible] Greases as Used on Railroad Equipment—Albert E. Hicke[illegible], x 518.

MAPSTONE, GEORGE E., and C. B. McLAREN—
Corrosion Problems in Cracking of Shale Oil, ii 49.
Mass spectrometer, vi 295; vii 334.

MAY, J. A. —
(Co-author) Calculation of Minimum Reflux Ratio for Multicomponent Distillation, iv 141 (See correction x 524).

MAYER, N.—
Fractionation of Petroleum, xii 653.

MAYFIELD, F. D., and J. A. MAY—
Calculation of Minimum Reflux Ratio for Multicomponent Distillation, iv 141 (See correction x 524).
Measurement of Dead Time in the Control of Certain Processes—Donald P. Eckman, iii 129.
Measurement, orifice meter, natural gasoline, iv 175.
Mercaptain extraction, x 492.
Mercapsol Process, x 511.
Mercury-Balance Pressure Regulator—A. J. Bailey, iii 139.
Metal salts, oil-soluble, i 2.
Metering, flow, iii 113.
Meters, orifice, flow calculations, viii 398.
Methane, v 230; x 495; synthesis, ix 433; synthesis gas from, viii 362.
Methane-ethane mixtures, super-expansibility of, vi 296.
Method of Reconditioning Elevated Water Tanks—William E. Huddleston, x 525.
Michigan, University, ix 419.
Microcrystalline waxes, v 202.
Minimum reflux ratio for multicomponent distillation, calculation of, iv 141.
Mississippi River Clarification Plant Provides Large Volume of Clear Water at High Rate of Flow—Gilbert F. Moore, ix 460.

MITCHELL, GUY S.—
Ammonia Production from Natural Gas, vi 245.
Mixing Device for Large Charge Stock Tanks—E. H. Atwood, iii 137.
Monsanto Chemical Company, iv 187.

MOORE, GILBERT F.—
Mississippi River Clarification Plant Provides Large Volume of Clear Water at High Rate of Flow, ix 460.

MORIARTY, F. C.—
An Evaluation of Sulfur Compounds in Gasoline, x 490.
Motor fuel manufacturing costs, i 15; sulphuric acid refining, vi 275; sulfur specification, ix 417.
Motor Voltage Considerations in Oil Refineries—E. Kun, ii 65.
Multicomponent distillation, calculation of minimum reflux ratio for, iv 141.
Multicomponent separations, iv 142.
Naphtha octane rating improved by thermal reforming, xii 651.
Naphtha Polyforming—W. C. Offutt, P. Ostergaard, M. C. Fogle and H. Beuther, xi 554.
Naphtha Polyforming with Outside Gas—W. C. Offutt, P. Ostergaard, M. C. Fogle and H. Beuther, xi 563.
Naphtha Polyform Unit, xi 555.
Thermal Reforming Unit Improves Naphtha Octane Rating, xii 651.
National Bureau of Standards, Automotive Section, i 42.
National Carbon Company, ii 79.
National Oil Proprietary Limited, ii 49.
National Petroleum Association, x 490.
National Tube Company, vi 296.
Natural gas, ammonia from, vi 245; chemicals, i 11; composition of before and after removal of higher hydrocarbons, i 8; consumption in United States, 1935-44, i 8; reserves, United States, i 14, xi 591; utilization in the United States, i 6.
Natural gasoline;* antiknock properties of materials resulting from superfractionation, v 233; measurement, orifice meter, iv 175.
Natural gasoline plants, refrigeration, iii 105.
Natural gasolines, Reid Vapor Pressure chart, iv 151.
Natural Gasoline Association of America, Physical Constants of Paraffin Hydrocarbons, v 244, v 206, v 216, v 223.

N

NEWMAN, W. R.—
Idle Isomerization Unit Converted to Produce Polymer Gasoline, x 475.
New Synthetic Lubricants—J. C. Kratzer, D. H. Green and D. B. Williams, ii 79.
NGA Physical Constants of Paraffin Hydrocarbons, v 244.
Nickel complex catalysts, ix 426.
Nitric acid, ammonia oxidation for the manufacture of, vi 255.
Nitrogen, atmospheric, vi 245.

NOLL, H. D., A. W. HOGE and D. M. LUNTZ—
Commercial TCC Operations on Partially Vaporized Charge Stocks, xi 599.

NOLL, H. D., K. G. HOLDON and E. V. BERGSTROM—
Simplicity and Flexibility of Thermofor Catalytic Cracking, v 237.
Non-Fouling Refinery Charge Stocks—L. F. Schimansky, xii 629.
Nomograph for cetane number of diesel fuel, x 517.

O

OBERFELL, G. G.—
Utilization of Natural Gas in the United States, i 6 (Also *).
Octane improvement, treating for, x 511.
Octane number, change by removing peroxides, vi 288.
Octane number and peroxide content of catalytic gasolines, relation of, vi 285.
Octane-Number Scale, development of, i 42.
Octane rating of naphtha improved by thermal reforming unit, xii 651.
Octanes, properties of, i 17.
Oel u. Kohle, i 36, vii 351, xii 653.

OFFUTT, W. C.—
(Co-author) Correlation of Operating Variables in the Polyform Process, xi 570.

OFFUTT, W. C., P. OSTERGAARD, M. C. FOGLE and H. BEUTHER—
Naphtha Polyforming, xi 554; Naphtha Polyforming with Outside Gas, xi 563.
Oil and gas, hydrocarbon content, v 230.
Oil demand, first half 1946.*
Oil pollution act, vii 299.
Oil reserves, world, xi 587.
Oil-soluble metal salts, i 1.
Olefins and paraffins, chemicals from, xii 607.

OPDYKE, EDWARD G.—
(Co-author) Boiling and Condensing Film Coefficients for Water and Normal Hexane, ix 419.
Optical rotation, viii 392.
Orifice Meter in Natural Gasoline Measurement, with Simplified Calculation Charts—R. W. Weeks, iv 175.
Orifice meters, flow calculations, viii 398.
Orifice calculations, viii 398.
Orifice meter theory and practice, viii 398.

OSTERGAARD, P.—
(Co-author) Naphtha Polyforming, xi 554; Naphtha Polyforming with Outside Gas, xi 563; Correlation of Operating Variables in the Polyform Process, xi 570.
Ostwald viscosimeter, vii 333.
Oxidation mechanisms, xii 608.
OXO process, x 503.
Oxygen, removal of to prevent heat exchanger fouling, xii 630.
Oxygenated chemicals from C_1, C_2, and C_3 Paraffins and Olefins, xii 607.
Ozark Ordnance Works, vi 245.

P

Pan American Refining Corporation, well water conservation, xii 642.
Panuco gasoline sludge, ii 53.
Panuco gasoline, sulfur compounds from, ii 53.
Papers, wax treated, v 202.
Paraffin hydrocarbons, physical constants, v 244.
Paraffins, chlorinated, i 36.
Paraffins and olefins, chemicals from, xii 607.
Paraffin waxes, v 201; from gas synthesis, x 498.
Patents.*
Patents on gas synthesis, xi 597.
Paulsboro, New Jersey, wax press, v 201.
Pentanes, properties of, i 17.
Pentanes in absorber residue gases, iv 171.
Pentamethylen-sulfide, ii 55.
Perchloric acid, ii 59.
Perco process, gasoline treating, x 510.
Permutite precipitator, ix 460.
Peroxide content and octane number of catalytic gasolines, relation of, vi 285.
Petroleos Mexicanos, ii 53.
Petroleum (London), vi 289.
Petroleum, crude, chemical composition, v 230.
Petroleum impurities and treating methods, x 507.
Petroleum waxes, v 201.
Petroleum Zeit, x 521.

* See News, Statistical and Service Features Index below.

Phenol, x 484.
Phenol Process, x 512.
Phenoxides, i 1.
Phillips Petroleum Company, cycloversion catalytic cracking, vii 329; hydrofluoric acid corrosion, iii 97, i 6, iv 175, v 223, ix 419, ix 457, xii 635.
Phosphate process for treating gas, x 508.
Phosphates, i 2.
Phosphoric acid, ii 53.
Phosphoric acid di-esters, i 2.
Photometer, Spekker, vi 292.
Physical action of detergents, i 3.
Physical Chemistry of Lubricating Oils—A. Bondi, Part I, vi 269; Part II, vii 337; Part III, viii 387.
Physical Constants of Paraffin Hydrocarbons, v 244.
Physical Properties and Chemical Constitution of Lubricating Oils—Dr. M. Freund, x 521.
Piers, concrete, for horizontal storage tanks, ix 457.
Pilot-Plant and Commercial Desalting—M. J. See, J. P. Lindahl, H. R. Taliaferro and C. R. Harte, Jr., ix 463.
Pintsch-Hillebrand process, viii 358.
Piping, refinery, heat treating, xii 632.

POETTMANN, F. H., and M. R. DEAN—
Water Content of Propane, xii 635.
Polar forces, bind detergents, i 3.
Poiseuille's viscosimeter, vii 337.
Pollution regulations, vii 299.
Polyform process, xi 554; xi 563.
Polyform gasoline produced in converted isomerization unit, x 475.
Polymerization, viii 405.
Polymerization, Arp refinery, vii 324.
Polymerization of hydrocarbons, patent digest.*
Polysulphides, ii 53.
Potentiometer, electronic, iv 197.
Powders, surface area of, iii 133.

POWELL, DAWSON—
Role of Water in Conquering Fire in Refining Plants, x 513.
Practical Refrigeration for Natural Gasoline Plants—R. W. Heath, J. B. Taylor, Jr., and P. W. Hill, iii 105.
Present-Day Hydrogen Manufacturing Processes—R. M. Reed, viii 367.
Pressure differential instruments, x 471.
Pressure differential instruments, x 471.
Pressure, effect on viscosity, vii 341.
Pressure regulator, mercury-balance, i 1, 139.

PRINGLE, F. A., and R. A. FINDLAY—
Corrosion in Hydrofluoric Acid Alkylation, iii 97.
Prism-wavelength, frequency, and wave number, vi 289.
Process control instruments, iii 113.
Project 6 Spotlights Avgas Progress—H. W. Field and D. W. Gould, xi 575.
Propane analysis, iii 106.
Propane stored for emergency fuel for refinery, x 488.
Propane, water content of, xii 635.
Prussian blue, ii 49.

PRYOR, C. C.—
Shell Cycling Plant Designed for High-Pressure Absorption, iv 157; High- and Low-Pressure processing combined in McCarthy Plant, vii 307; United Gas Pipe Line Company's Carthage Field-Pressure Gasoline Plant Processing 100 Million Feet Per Day, ix 447.
Pure Oil Company, iii 127, iv 193.
P-V-T Data, vi 269.

R

RAGATZ, E. G., and J. A. RICHARDSON—
Evaluation of Absorber Operating Efficiency, xi 582.
Railroad curve greases, x 519.
Raman spectra, vi 294.
Rapid Analysis of Fischer Synthesis Catalyst—Cecil H. Hale, vi 265.
Rapid Graphical Method of Estimating Tower Diameter and Tray Spacing of Bubble-Plate Fractionators—W. L. Bolles, xii 613.
Rapid Test for Isobutane (+) Fractions in Natural Gasoline Plant Absorber Residue Gases—G. M. Liljenstein and W. M. Schaufelberger, iv 169.
Reactor design, Houdry, ix 453.

READ, DAVIS—
A Fluid-Catalytic Cracking Unit for the Smaller Refiner, v 233.
Recent Advances in the Chlorinated Paraffins—R. Strauss, i 36.
Reclamation of Waste at Beaumont Refinery of Magnolia Petroleum Company—J. L. Heath and Percy Giblin, ix 443.
Reid Vapor Pressures, chart showing typical motor gasoline and natural gasolines, iv 151.

REED, R. M.—
Present-Day Hydrogen Manufacturing Processes, viii 367.
Reference-fuel scales for knock rating, i 42.
Refractive index, ii 53.
Refractive index and optical rotation, viii 391.
Refinery construction, cost accounting, i 30.
Refinery fuel, liquid propane storage for, x 488.
Refinery Process Control Instruments—Eugene Bainbridge, Part 1, Flow Metering and Liquid Level, iii 113; Part 2, Temperature and Pressure, iv 176.
Refinery waste disposal, vii 299.
Reflux ratio, minimum, for multicomponent distillation, calculation of, iv 141.
Refrigeration complements absorption, iii 106.
Refrigeration for natural gasoline plants, iii 105.
Relation of Octane Number and Peroxide Content of Catalytic Gasolines—Dr. H. Velde (Translated by E. J. Bartha), vi 285.
Remote control and telemetering, i 40.
Removal of substances insoluble in water, vii 299.
Residue gases, absorber, isobutane (+) in, iv 169.
Resin, hot, treatment of burns, iii 101.
Resins, petroleum, effect on viscosity, vii 341.
Resistance thermometer, iv 196.
Resistance Thermometry—Elmer W. Hayes, xii 649.
Review of the Development of Reference-Fuel Scales for Knock Rating—Donald B. Brooks, i 42.

RICHARDSON, J. A.—
(Co-author) Evaluation of Absorber Operating Efficiency, xi 582.
Rigid Knee-Braced Bents, xii 621.

RODRIGUEZ, CARLOS—
(Co-author) Sulfur Compounds from Panuco Gasoline, ii 53.
Role of Water in Conquering Fire in Refining Plants—Dawson Powell, x 513.
Roller-bearing greases, ii 61.

ROOK, C. C., JR.—
Boiler-Water Conditioning at Talco Refinery, xii 639.

ROSSINI, FREDERICK D.—
(Co-author) Analysis of Alkylates and Hydrocodimers, xi 527.
Rotameters—W. J. Beckett, ii 91.
Russian underground gasification of coal, viii 360.

S

Safe handling of thermoplastic materials, iii 101.
Safe Practices for Air Compressor Operation—Don Attaway, vi 282.
Safety, Baton Rouge refinery program, vi 260.

SAGER, F.—
Sulphuric Acid Refining in the Production of Aviation and Motor Fuel, vi 275.
Salt content of crude oils, vii 314, ix 463, x 507; removal, ix 463; Ben Franklin Refining Company, iv 130.
Salts, metal, oil-soluble, i 1.

SCAFE, E. T.—
Sulfur in Light Petroleum Products, ix 413.
Scale control, water, viii 411.
Schmalfeldt-Wintershall process, viii 359.

SCHAUFELBERGER, W. M.—
(Co-author) A Rapid Test for Isobutane (+) Fractions in Natural Gasoline Plant Absorber Residue Gases, iv 169.

SCHILDWACHTER, H.—
Synthetic Lubricants from Ethylene Condensations, iii 121.

SCHIMANSKY, L. F.—
Non-Fouling Refinery Charge Stocks, xii 629.
Science and Technology Abstracts.*

SEE, M. J., J. P. LINDAHL, H. R. TALIAFERRO and C. R. HARTE, JR.—
(Co-author) Pilot-Plant and Commercial Desalting, ix 463.
Selection and Application of Break-Inducing Reagents in Doctor Treating—Charles M. Blair, Jr., viii 379.
Selection, Installation and Maintenance of Refinery Control Instruments—Part 2, Temperature and Pressure—Eugene Bainbridge, iv 176.
Selective solvents, x 483.
Separate Processing for Rich and Lean Gas, v 220.
Shale oil, corrosion in cracking, ii 49.
Shell Cycling Plant Designed for High-Pressure Absorption—C. C. Pryor, iv 157.
Shell Oil Company (Sheridan cycling plant), iv 157.
Shell Oil Company, Inc., vii 299.
Shell Solutizer process, gasoline treating, x 510.
Sheridan (Shell) cycling plant, iv 157.
Shock, treatment for, iii 102.
Sinclair Refining Company, i 1.
Signal Hill refrigeration unit, iii 109.
Signal Oil & Gas Company, iii 105.
Signs used in safety work, vi 260.

SIGMUND, W. J.—
(Co-author) Treatment of Hot Resin Burns and Safe Handling of Thermoplastic Materials, iii 101.
Simplicity and Flexibility of Thermofor Catalytic Cracking—H. D. Noll, K. G. Holdon and E. V. Bergstrom, v 237.
Simplified Design for Precise Fractionation of Light Hydrocarbons—Frank H. Stone, iv 164.
Sintered iron catalysts, ix 430.
Sludge, Panuco gasoline, ii 53.
Small Fluid Catalytic Cracking Unit, vi 298.

SMITH, E. A.—
(Co-author) Earnings a Function of Catalyst Activity, viii 383.
Smoking lot safety meetings, Baton Rouge, vi 260.
Soaps (in oils), i 1.
Soaps and synthetic detergents, x 502.
Society of Automotive Engineers, i 42; ii 79.
Socony-Vacuum Laboratories, xii 613.
Socony-Vacuum Oil Company, Inc., iii 127, v 201, v 237; Houdry patent, vii 328; thermofor process, vii 331, ix 413; Paulsboro TCC unit, xi 599.

* See News, Statistical and Service Features Index below.

Solid contact desalting processes, x 508.
Solutes, disposal of waste, vii 364.
Solutizer process, gasoline treating, x 510.
Solvent extraction equilibria, calculation of, x 483.
Solvents, aliphatic and aromatic, ix 417.
Southern California Meter Association, i 38.
Southern California Meter Association Meter Course, ii 91, xii 649.
Southern Counties Gas Company, i 40.
Soviet gasification of coal in situ, viii 360.
Spectroscopic Analysis in the Petroleum Industry—F. Gill and R. A. Gordon, vi 289.
Spectrometers, vii 334.
Spectroscopy, absorption, vi 290.
Spectrograph, vi 292.
Spectrum, vi 289.
Spekker photometer, vi 292.
Spink, L. K., viii 398.

STADTHERR, J. J.—
Basis Petroleum Chemistry for Refinery Employees—Chapter I, Fundamentals, iii 127; Chapter II, Naming Hydrocarbons, iv 102; Chapter III, Chemical Composition of Crude Petroleum, v 230; Chapter IV, Changing the Structure of Petroleum Molecules, vi 279; Chapter V, Catalytic Cracking Processes, vii 327; VI, Manufacture of Aviation Gasoline Components, viii 404; VII, Petroleum Impurities and Treating Methods, x 507.
Standard Oil Company (Indiana), ix 463; fiberglas desalting, vii 313.
Standard Oil Company (N.J.) gas synthesis position, xi 595.
Standard Oil Company of New Jersey, safety program, Baton Rouge, vi 260.
Standard Oil & Gas Company, gas synthesis plans, xi 595.
Standard Oil Development Company, x 478.
Steam and air decoking of furnace tubes, viii 377.
Steam-hydrocarbon process (hydrogen manufacture), viii 373.
Steam-iron process (hydrogen manufacture), viii 368.
Steam-methanol process (hydrogen manufacture), viii 376.
Steam-water gas hydrogen, analysis of, viii 373.
Steam-water gas process (hydrogen manufacture), viii 371.
Sterns-Roger Manufacturing Company, v 206.
Stockholm, Sweden, vi 275.

STONE, FRANK H.—
Simplified Design for Precise Fractionation of Light Hydrocarbons, iv 164.
Storage containers, classification of, iv 152.
Storage losses, iv 153.
Storage, peroxide increase in gasolines, vi 285.
Storage of Volatile Petroleum Products—Harry Clow Boardman, iv 149.

STREID, DALE D.—
Design and Performance of General Electric's Type I-40 Jet-Propulsion Gas Turbine, ii 94.

STRAUSS, R.—
Recent Advances in the Chlorinated Paraffins, i 37.

STREIFF, ANTON J.—
(Co-author) Analysis of Alkylates and Hydrocodimers, xi 527.
Streamlined Orifice Calculations—E. E. McReynolds, viii 398.
Structures for process equipment, xii 621.
Sulfur Compounds from Panuco Gasoline—Walter Friedmann and Carlos Rodriguez, ii 53.
Sulfur in Light Petroleum Products—E. T. Scafe, ix 413.
Sulfur compounds in diesel fuels, ix 418; compounds and combustion products, ix 417; compounds in gasoline, evaluation of, x 490; content of crude oil, by states, ix 413; corrosive, ix 416; derivitives in LPG, ix 417; effect upon performance, ix 416; in motor fuels, ix 417; removal from crude oils, ix 414.
Sulfuric acid, ii 53.
Sulfones, ii 53.
Sulfuric acid process, gasoline treating, x 510.
Sulfonates, mahogany, i 2.
Sulfonic acids, ii 53.
Sulfoxides, ii 53.
Sulphuric Acid Refining in the Production of Aviation and Motor Fuel—Dr. F. Sager, vi 275.
Super-Expansibility of Methane-Ethane Mixtures—W. O. Clinedinst, vi 296.
Superfractionation of natural gasoline, antiknock properties of materials from, v 223.
Sun Oil Company, ix 453.
Surface area of powders, iii 133.
Suspensoid catalytic cracking process, vii 332.
Synthin, viii 356.
Synthol process, ix 433.
Synthesis—see Synthol, Synthine, Fischer-Tropsch.
Synthesis gas, from coal, viii 358; composition and sources, viii 357; controlled oxidation, viii 364; installations in Germany after Allied bombings (pictures), viii 363; from methane, viii 362; production and purification, viii 355; purification viii 364.
Synthesis patents, xi 597.
Synthetic ammonia process, vi 245.
Synthetic fuels, government research, xi 596.
Synthetic lubricants, ii 79.
Synthetic Lubricants from Ethylene Condensations—Dr. H. Schildwachter, iii 121.
Synthine Process, The—John C. Lane and B. H. Weil (four parts); Synthesis Gas Production and Purification, viii 355; Catalytic Synthesis, Including Catalysts and Reaction Mechanisms, ix 422; Products, By-Products and Special Topics, x 493; Basic Economics and the Current Situation, xi 597.

* See News, Statistical and Service Features Index below.

T

Talco Asphalt & Refining Division American Liberty Oil Company, water conditioning, xii 639.
Talco refinery, boiler water conditioning, xii 639.
Tallant, Oklahoma, plant of Cities Service Oil Company, xii 607.

TALIAFERRO, H. R.—
(Co-author) Pilot-Plant and Commercial Desalting, ix 463.
Tanks, elevate water, reconditioning, x 525.
Tanks, horizontal, concrete piers for, ix 457.
Tanks, mixing device for large stock, iii 137.
Tannin Solutizer Process, ix 416, x 511.
Tar bases in shell oil, ii 49.

TAYLOR, J. B., JR.—
(Co-author) Practical Refrigeration for Natural Gasoline Plants, iii 105.
TCC operations on partially vaporized charge stocks, xi 599.
Technical High School, Dresden, iii 121.
Telemetering and Remote Control—Harry J. Keeling, i 40.
Temperature, in desalting, vii 316.
Temperature-density coefficient vs. molecular weight for hydrocarbons, vi 270.
Tetraethyl lead and other additives, viii 409.
Tetralydrothiophane, ii 55.
Texas City, water conservation, xii 642.
The Texas Company, gas synthesis investigations, xi 597.
Texas University, vi 284.

THAYER, C. H.—
(Co-author) Improved Houdry Reactor Design, ix 453.
Thermal dissociation of hydrocarbons, viii 375.
Thermal processing of crude, v 241.
Thermometer, resistance, iv 196.
Thermofor catalytic cracking, v 237.
Thermofor catalytic cracking process, vii 331.
Thermometer specifications, C.N.G.A. Liquefied Petroleum Gas, iv 169.
Thermometry, resistance, xii 649.
Thermoplastic materials, safe handling, iii 101.

THOMAS, R. W.*—
Torbanite (oil shale), ii 49.
Tower diameter, estimating, xii 613.
Tray spacing, bubble towers, xii 613.
Treating, gasoline distillates, x 509; light oil, x 511; lubricating oil, x 512; methods, x 507; for octane improvement, x 511; processes, gasoline, classification, x 510.
Treating-plant emulsions, vii 303.
Treatment of Hot Resin Burns and Safe Handling of Thermoplastic Materials—W. B. Warden and W. J. Sigmund, M.D., iii 101.
Tretolite Company, viii 379.
Tropsch, Hans, viii 356.
Tubes, furnace, decoking with steam and air, viii 377.
Two-component separations, iv 141.

U

Ultraviolet, absorption in, viii 390.
Ultraviolet absorption methods, vi 291.
Ultraviolet absorption of spectra of toluene and benzene, vi 291.
Underground gasification of coal, viii 359.
United Gas Pipe Line Company's Carthage Fluid-Pressure Gasoline Plant Processing 100 Million Feet Per Day—C. C. Pryor, ix 447.
Unisol process, gasoline treating, x 510.
UOP small fluid-catalytic cracking plant, v 233.
Utilization of Natural Gas in the United States—G. G. Oberfell, i 6.
Universal Oil Products Company, v 233, x 490.

V

Vacuum flashing, v 241.
Vapor-volume change vs. vapor-pressure change, iv 152.

VELDE, H.—
Relation of Octane Number and Peroxide Content of Catalytic Gasolines (translated by E. J. Barth, vi 285.
Veteran's reemployment rights.*
Visbreaking, v 241.
Viscosimeter, vii 337.
Viscosity and Consistency, i 23, ii 72.
Viscosity, definition of, vii 337.
Viscosity index, vii 338.
Viscosity of lube oil blends, vii 242.
Viscosity of mixtures, vii 342.
Viscosity-pressure function, vii 341.
Viscosity-temperature function, vii 337.
Viscosity-temperature relationships, ii 69.
Volatile petroleum products, storage of, iv 149.
Voltage considerations in oil refineries, ii 65.
Voltolization, viii 396.

W

WADE, HENRY F.—
High-Pressure Absorption, v 206.

WALKER, JOHN C., and HOWARD L. MALAKOFF—
Basic Oxygenated Chemicals from C_1, C_2, and C_3 Paraffins and Olefins, xii 607.

WARDEN, W. B., and W. J. SIGMUND—
Treatment of Hot Resin Burns and Safe Handling of Thermoplastic Materials, iii 101.

Washington, University of, iii 139.
Waste disposal, refinery, vii 289.
Waste gases, disposal of, vii 306.
Waste oil reclamation, ix 443.
Water Content of Propane—F. H. Poettmann and M. R. Dean, xii 635.
Water, chemical treatment at Talco refinery, xii 634.
Water, density of, iii 132; electrolysis of, viii 367; equilibrium vapor pressure of, ii 93; fire protection in automatic system at gasoline plant, viii 382; role of in conquering fire in refining plants, x 513.
Water clarification plant, Ethyl Corporation, Baton Rouge, ix 460.
Water gas, viii 358.
Water tanks, elevated, reconditioning, x 525.
Water Treatment in Refineries—R. W. Kelly, viii 411.

WATKINS, FRANKLIN M.—
Action of Lube Oil Detergents on Automotive Engines, i 1.
Waxes, microcrystalline, v 202.
Waxes, petroleum, v 201.

WEEKS, R. W.—
Orifice Meter in Natural Gasoline Measurement, with Simplified Calculation Charts, iv 175.

WEIL, B. H.—
(Co-author) The Synthine Process (four parts): Synthesis Gas Production and Purification, viii 355; Catalytic Synthesis, Including Catalysts and Reaction Mechanisms, ix 33; Products, By-Products, and Special Topics, x 493; Basis Economics and the Current Situation, xi 587.

Well Water Conservation at Pan American Refining Corporation Texas City Refinery—Paul Hurd, xii 642.
West Texas crude oils, sulfur content, ix 413.
Western Petroleum Refiners Association, iv 180, v 233, v 237, vii 299, viii 411.

WHISTLER, A. M.—
Fat Oil Deethanization, xii 645.
Whiting refinery, desalting, ix 463.
Wier equations, xii 616.

WILLIAMS, D. B.—
(Co-author) New Synthetic Lubricants, ii 79.

WILLINGHAM, CHARLES B.—
(Co-author) Analysis of Alkylates and Hydrocodimers, xi 527.
Wilmington Gasoline Company, Long Beach gas dehydration plant, ii 97; processing of rich and lean gas, v 230.
Wilshire Oil Company, propane storage for refinery fuel, x 488.
Winkler water gas generator, viii 359.
Winnie, Texas, gasoline plant, vii 307.

WOOD, W. H.—
(Co-author) Fullers Earth as a Binder for Catalysts and Adsorbents, ii 69.
World oil reserves, xi 587.

Z

Z. Angewandte Chemie, iii 121.

ZEIGLER, HARRY R.—
(Co-author) Design of Concrete Piers for Horizontal Storage Tanks, ix 457.
Zeolite, viii 411.

* See News, Statistical and Service Features Index below.

News, Statistical and Service Features

About Equipment Service-Suppliers (Monthly Feature)—Jan. 200; Feb. 226; Mar. 214; April 258; May 220; June 244; July 240; Aug. 254; Sept. 254; Oct. 256; Nov. 264; Dec. 268.
Abrams, F. W., replaces Gallagher, Jersey chairman, Jan. 162.
Abstracts—see Science and Technology.
Abstracts of Papers Presented Before American Chemical Society, Division of Petroleum Chemistry, May 164.
Abstracts of papers before Division of Petroleum Chemistry, American Chemical Society, Sept. 169.
Accident prevention, API committee, Apr. 179.
ACS Petroleum Division names Egloff chairman, Oct. 161.
Adams, Gale L., Feb. 156.
Agriculture, petroleum and natural gas, July 146.
Alden, R. C., Nov. 193.
Alkylation of Hydrocarbons, digest of patents, Feb. 166.
Alther, J. G., July 166.
American Chemical Society Names Four Councilors, Jan. 160.
American Chemical Society, Feb. 153.
American Chemical Society, abstracts of papers presented before Division of Petroleum Chemistry, May 164.
American Chemical Society Wichita section meeting, June 171.
American Chemical Society, abstracts of papers before Division of Petroleum Chemistry, Sept. 169.
American Chemical Society Petroleum Division holds 25th convention, Oct. 161.
American Chemical Society, Bruce K. Brown talk before, Oct. 152.
American Gas Association, reserve committee, Feb. 160.
American Gas Association, annual meeting, Oct. 161.
American Institute of Chemists, Jan. 158.
American Petroleum Institute, transportation division, Jan. 164.
American Petroleum Institute Refining general committee enlarged, Feb. 153.
American Petroleum Institute Lubrication Committee expanding, Feb. 154.
American Petroleum Institute Pressure-relieving investigation, Feb. 154.
American Petroleum Institute Analytical Research committee named, Feb. 154.
American Petroleum Institute accident prevention committee, Apr. 179.
American Petroleum Institute William T. Dunn director Division of Refining, June 171.
American Petroleum Institute Refining Division, William T. Dunn named manager, June 171.
American Petroleum Institute directors plan activity expansion, July 158.
American Petroleum Institute committee to make nominations, Aug. 164.
American Petroleum Institute National Oil Policy Committee, Sept. 162.
American Petroleum Institute annual meeting, Nov. 181.
American Petroleum Institute public relations program outlined, Nov. 181.
American Petroleum Institute plans outstanding achievement award, Nov. 186.
American Section, Society of Chemical Industry, Aug. 174.
Ames, C. B., May 158.
Anderson, H. M., Apr. 186.
Armitage, H. D., associated with A. M. Elder, Apr. 186.
Armstrong, J. L., Mar. 144.
Army developing new fuels, Nov. 192.
Arveson, M. H., Feb. 156.
Ashe, Harold J. — Veterans' Employment Right, Dec. 160.
Asphalt Institute, The, Jan. 156.
Ashton, H. T., elected president Western Petroleum Refiners Association, Apr. 177.
Austin, H. R., Apr. 186.
Baker, C. P., May 190.
Barber Asphalt plant sold to California Refining Company, Sept. 160.
Barbolini, G. M., Mar. 144.
Barlow, E. H., Mar. 140.
Barth, Edwin J., Nov. 190.
Bartles, Miss Alice C., Apr. 192.
Bass, Dr. Lawrence W., Jan. 160.
Battelle Institute installs new laboratory facilities, Aug. 176.
Bell, F. W., Apr. 186.
Blaize-Armstrong new Houston engineering firm, Mar. 144.
Blaize, R. N., Mar. 144.
Bludworth, J. E., May 164.
Boege, J. A., Feb. 156.
Bovay, H. E., Jr., Feb. 162.
Bowen, Kenneth E., May 164.
Boyd, W. R., Jr., reelected president API, Nov. 181.
Brock, E. A., CNGA committeeman, Aug. 165.
Brown, Bruce K.—Busy Future for Petroleum Chemist, Oct. 152.
Brown & Root forms unit for petroleum construction, Mar. 144.
Bulletins (see new equipment).
Burns, H. S. M., Nov. 190.
Busy Future for Petroleum Chemist, Oct. 152.
Buxton, A. M., Feb. 155.
Calderwood, A. H., named Shell manufacturing manager, June 174.
California association issues revised LPG standards, Apr. 212.
California, Independent Refiners Association, of, Mar. 142.
California Natural Gasoline Association officers installed, Aug. 165.
California Natural Gasoline Association fall meeting, Nov. 193.
California Refining Company (Standard) Starts East Coast operations, Sept. 160.
California Research Corp. Jan. 160.
Carmody, Dr. D. R., Oct. 168.
Carbon Monoxide, Hydrogenation of, digest of patents on, Jan. 168.
Carney, B. R., Feb. 160.
Carthage Hydrocol names Dawson to operating post, Oct. 158.
Carthage Hydrocol elects Gabrielson president, Sept. 167.
Carthage Hydrocol Corporation announces plant in Brownsville area, Mar. 142.
Catalytic Engineering and Construction Company organized, Apr. 184.
Celanese Corporation of America, May 154.
Champlin, Ralph C., API public relations program, Nov. 181.
Christie, G. R., Jan. 156.
Cities Service Refining Corp., Jan. 160.
Coal, natural gas moving economically close to oil, Oct. 161.
Coleman, Stewart P., before NPA, May 152.
Colton, F. J., CNGA vice president, Aug. 165.
Colton, O. A., Oct. 204.
Colvin, Hugh F., Nov. 192.
Continental modernizing Denver refinery, Nov. 192.
Crawford, C. C., Nov. 192.
Crude runs to stills, first half 1946, Aug. 156.
Cutting, F. C., Oct. 162.
Cycling and natural gasoline industries, May 143.
Dale, H. D., made manager for Shell at Wood River, July 164.
Dalton, S. D., Feb. 156.
Daniels, L. S., joins Petroleum Refiner staff, May 158.
Davies, Ralph K., reads Krug speech before API, Nov. 181.
Dawson, F. M., vice president Carthage Hydrocol, Oct. 158.
Dayson, Sylvester, Sept. 166.
Dehydrogenation of Hydrocarbons, digest of patents, Sept. 210.
Demand statistics, Aug. 154.
Desulfurization, patents, Nov. 238.
Diesel manufacturers see growing demand for engines, July 162.
Digest of United States Patents Pertaining to Petroleum Refining (monthly feature), compiled by Heinz Heinemann—Jan. 168; Feb. 166; Mar. 146; April 194; May 192, 200; June 204, 212; July 184; Aug. 196; Sept. 200, 210; Oct. 186; Nov. 238, 256; Dec. 190.
Dinkins, P. M., president Jefferson Chemical Company, Sept. 157.
Dirksen, Dr. A. J., Nov. 190.
Doremus, E. P., Sept. 164.
D'Ouville, Dr. E. L., Feb. 156.
Downey, Bernard M., Oct. 165.
Dow, Dr. Willard H., gets Chemical Industry Medal, Aug. 174.
Dunlap, John B., Oct. 164.
Dunn, J. H., Jan. 158.
Dunn, J. H.—Plans and Opportunities for Natural-Gasoline and Cycling Industries, May 143.
Dunn, William T., director API Division of Refining, June 171.
Easton, H. D., Jr., Sept. 174.
Egloff, Dr. Gustav—Petroleum, Natural Gas and Agriculture, July 146.
Egloff, Gustav, chairman Petroleum Division, ACS, Oct. 161.
Eldean, Fred, API public relations program, Nov. 181.
Elder, A. M., associated with H. D. Armitage, Apr. 186.
Elliott, Robert H., Apr. 212.

Emery, Alden H., named secretary American Chemical Society, Feb. 152.
Equipment (see new equipment).
Ethyl Corporation, Jan. 158.
Farragher, Dr. Warren F., Nov. 190.
Farm uses of petroleum, July 146.
Faulk, Roy W., Oct. 164.
Fertilizers, July 148.
Field, Hugh W., elected director Atlantic Refining Company, Apr. 182.
Finney, C. E., Jr., Feb. 156.
Fish Engineering Corporation organized at Houston, May 158.
Fish, Ray C., May 158.
Fisher, Dr. A. W., Apr. 190.
Fowler, Frank C., joins Oklahoma University, Mar. 180.
Freon found effective to extinguish gasoline fires, July 158.
Gabrielson, G. G., president Carthage Hydrocol, Sept. 157.
Gallagher, Ralph W., Jan. 162.
Gard, C. D., Nov. 193.
Gas fuel test method, Nov. 193.
Gas technology short course, Texas A. & I., Sept. 164.
General Petroleum Corporation, delayed coking unit, Nov. 194.
Gile, C. M., elected Gulf vice president, July 164.
Gottchalk, Robert, Nov. 190.
Grebe, H. A., Sept. 164.
Growth regulators, July 150.
Halloran, R. A., Jan. 160.
Hamon, Jake L., vice president, production, API, Nov. 181.
Hanlon award to Dr. W. N. Lacey, May 149.
Hanlon group sells to Warren, June 174.
Haslam, Robert T., API public relations program, Nov. 181.
Harger, D. K., Sept. 174.
Harvison, L. H., Apr. 186.
Haverfield, F. B., manager of natural gasoline, Continental Oil Company, Mar. 139.
Hawley, C. D., Jan. 158.

Heinemann, Heinz—see Digest of Patents.
Holman, Eugene, speaks to API, Nov. 181.
Holst, Helge, Jan. 156.

How To Do It (Monthly feature)—Jan. 143; Feb. 145; Mar. 130; April 162; May 132; June 151; July 138; Aug. 146; Sept. 146; Oct. 144 Nov. 172; Dec. 153.

Hydrogenation of Hydrocarbons and Carbon Monoxide—digest of patents on, Jan. 163.
Hutchinson, A. J. L., May 153.
Indiana Standard to close two plants, July 160.
Insecticides, July 148.
Instrument short course, Texas A. & M., Sept. 162.

Isomerization of Hydrocarbons, digest of patents on, May 206.
Jefferies, F. B., Mar. 144.
Jefferson Chemical Company elects P. M. Dinkins president, Sept. 157.
Jennings, B. Brewster, vice president, transportation, API, Nov. 181.
Jersey Standard wins German patent suit, Aug. 212.
Johnson, C. A., heads California refiners, Mar. 142.
Johnson, Clifford, assistant superintendent Sun's Marcus Hook refinery, Apr. 184.
Johnson, H. B., general manager for Haynesville committee, July 166.
Johnson, S. W., July 164.
Kellogg Company, The M. W., adds two executive officers, Apr. 186.
Kindsvater, E. F., heads Phillips chemical engineering, Mar. 142.
Kirbro, M. W., president CNGA, Aug. 165.
Knight, Allan T., Apr. 186.
Kresmer, Alois, Jan. 160.
Krotz, Donald P., May 154.
Krug, J. A., API speech, Nov. 181.
Lacey, Dr. W. N., receives Hanlon award, May 149.
Lacey, W. N., Nov. 193.
Lancaster, G. H., joins Magnolia technical department, Sept. 198.
Latimer, J. L., elected president Magnolia companies, Jan. 155.
Leovy, F. A., retires, May 162.
Lincoln, Donald, gets Sun promotion, Apr. 184.
Lion Oil Company building Thermofer unit, Apr. 180.

Liquefied Petroleum Gas in 1945—G. G. Oberfell and R. W. Thomas, Jan. 137.
Liquefied petroleum gas, marketed production, Jan. 138.
Little, Arthur D., Inc., Jan. 156.
Little, Arthur D., Fisher and Old join staff, Apr. 190.

Logan, L. J.—Oil Demand One Fourth Greater Than in 1941, Aug. 154.

Look Box (Monthly feature)—Jan. 85; Feb. 93; Mar. 81; April 97; May 83; June 93; July 77; Aug. 83; Sept. 83; Oct. 83; Nov. 91; Dec. 93.
Love, Russell J., Nov. 192.
LPG standards revised by California association, Apr. 212.
Luster, E. W., heads Esso engineering, Mar. 140.
Lynch, John F., Oct. 165.
McCarthy gasoline plant opened, Mar. 142.
McConnell, Elliott B., heads Sohio manufacturing department, Oct. 161.
McCray, H. S., July 164.
McGill, W. J., manager Whiting refinery, Apr. 182.
Magruder, P. S., Feb. 156.
Majewsky, B. L., vice president marketing, API, Nov. 181.
Mann, Louis D., Jan. 160.
Manufacturers' literature (see new equipment).
Mass spectrometer used in high-vacuum leak testing, July 158.
Mayfield, M. L., Jan. 158.
Merkus, Dr. P. J., Jr., Oct. 162.
Mid-Continent Oil & Gas Association, Feb. 156.
Miller, C. A., heads API accident prevention, Apr. 179.
Miller, O. N., heads Standard of California manufacturing, Aug. 170.
Miller, Walter, retires, Mar. 139.
Miller, Walter, joins Universal Oil Products Company, Apr. 190.
Montgomery, S. J., Mar. 140; Apr. 182.

Month in the Industry, The (Monthly feature) Jan. 155; Feb. 153; Mar. 139; April 177; May 149; June 171; July 153; Aug. 161; Sept. 157; Oct. 161; Nov. 181; Dec. 165.
Moss, James E., named director API transportation division, Jan. 164.
Mullen, O. L., May 153.
Murphree, E. V., talks before American Gas Association on economics, Oct. 161.
Natural Gasoline Association of America, 24th annual meeting, May 149.
Natural gasoline and cycling industries, May 143.
National Petroleum Association, semi-annual meeting, May 152.
Navy testing synthetic fuels, July 152.

New Equipment, Manufacturers' Literature (Monthly feature)—Jan. 211; Feb. 241; Mar. 223; April 271; May 233; June 257; July 231; Aug. 247; Sept. 247; Oct. 249; Nov. 255; Dec. 247.
Oblad, Dr. Alex G., Oct. 163.

Oberfell, G. G., and R. W. Thomas—Liquefied Petroleum Gas in 1945, Jan. 137.
O'Donnell, J. P., Mar. 144.

Oil Demand One Fourth Greater Than in 1941—L. J. Logan, Aug. 154.
Old, Dr. Bruce S., Apr. 190.
OPA releases oil from control, July 153.
Osborn, Harold G., heads Continental Oil Company manufacturing department, June 180.
Parker, Raymond W., Feb. 160.
Parkhurst, George L., president Oronite Chemical Company, May 160.
Patents—see Digest of United States Patents.
Patent suit, Jersey company wins, Aug. 212.
Pennsylvania Grade Crude Oil Association officers, July 160.

Petroleum, Natural Gas and Agriculture—Dr. Gustav Egloff, July 148.
Pew, J. Howard, speaks to API, Nov. 186.
Phillips Petroleum Company, Jan. 137.

Plans and Opportunities for Natural-Gasoline and Cycling Industries—J. H. Dunn, May 143.

Polymerization of Hydrocarbons, digest of patents, June 212.
Porter, F. M., Feb. 156.
Powell, Fred, Sept. 180.
Premier's golf tournament, Sept. 166.
Price increases following OPA decontrol, Aug. 161.
Project Engineering Company, Mar. 144.
Pryor, C. C., joins Petroleum Refiner Staff, May 158.
Public relations program inaugurated by API, Nov. 181.
Raigorodsky, Paul M., Feb. 155.
Ragatz, E. G., CNGA committeeman, Aug. 165.
Ragatz, E. G., Nov. 193.
Richardson, J. A., Nov. 193.
Ring, D. T., heads Pennsylvania Crude Oil Association, July 160.
Ricketts, R. D., May 152.
Roberts, R. C., retires, July 166.
Robinson, Claude, API public relations program, Nov. 181.
Rossini, Dr. Frederick D., elected president Thermochemistry Society, Nov. 190.
Roths, M. H., Apr. 186.
Rumford Chemical Works increases research staff, Apr. 212.
Russell, George F., joins Louisiana State University, Apr. 182.
Russell, R. P., receives AIC medal, Jan. 158.
Sage, B. H., Nov. 193.
Sanders, Dr. F. J., Sept. 166.
Schindler, Dr. Hans, Apr. 192.
Scibienski, T. S., Oct. 165.

Science and Technology Abstracts (Monthly feature), Compiled by Dr. E. H. Leslie and Dr. H. B. Coats—Jan. 174; Feb. 178; Mar. 170; April 214; May 174; June 184; July 168; Aug. 178; Sept. 180; Oct. 179; Nov. 198; Dec. 182.
Seubert, Edward G., retires, July 166.
Shamrock Oil & Gas Corp., Jan. 158.
Shea, Paul C., vice president Carter Oil Company, Aug. 168.
Shell Chemical Corporation organized, Jan. 155.
Shell Oil Company enlarging Emeryville laboratory, Apr. 180.
Shriner, Dr. R. L., Jan. 160.
Society of Chemical Industry, Aug. 174.
Socony-Vacuum announces research discoveries, July 158.
Socony-Vacuum Oil Company expanding laboratories, Feb. 155.
Sonneborn, Dr. Henry III, Apr. 192.
South Texas Instrument Men organize society, Feb. 154.
Statistics, first half 1946, Aug. 154.
Stocks, Aug. 154.
Standard Oil Co. (N. J.), Jan. 162.
Standards completed on 90 hydrocarbon compounds, July 152.
Stern, A. G., heads Northern California chemists, Mar. 142.
Stone, Frank H., Oct. 158.
Stutson, Alverd C., Feb. 177.
Southwest Gas Measurement Short Course, May 154.
Sun Oil Company building Carbon 13 plant, Apr. 180.
Synthetic fuels, Navy testing, July 152.
Synthetic liquid fuels advisory committee named, Apr. 184.
Taylor, John B., Jr., Jan. 158.
Texas A. & I., gas technology short course, Sept. 164.
Texas A. & M. instrument short course, Sept. 162.
Texas-Louisiana Section ACS, Oct. 161.
Texas Research Foundation, Oct. 168.

Thomas R. W., and G. G. Oberfell—Liquefied Petroleum Gas in 1945, Jan. 137.
Universal Oil Products Company opens physics laboratory, Sept. 176.
Van Wazer, John R., Apr. 212.
Vesper, H. G., Jan. 160.

Veterans' Employment Rights — Harold J. Ashe, Dec. 160.
Walden, George H., Jr., Nov. 194.
Walker, Lacey, reelected secretary-assistant treasurer API, Nov. 181.
Warren Corporation buys Hanlon properties, June 174.
Webster, F. Ellwood, Apr. 184.
Weed killers, July 148.
Welding Research Council, Nov. 192.
Wescoat, L. S., elected treasurer API, Nov. 181.
Western Petroleum Refiners Association holds meeting in Michigan, July 164.
Western Petroleum Refiners Association, Shreveport meeting, Nov. 194.
Whistler, A. M., Nov. 193.
Wichita section American Chemical Society holds meeting, June 171.
Widdell, H. E., elected president Arthur G. McKee Company, May 156.
Willard, Dr. H. W., Jan. 160.
Wilson, Dr. Robert E., Jan. 160.
Wilson, Dr. R. E., vice president, refining, API, Nov. 181.
Woodruff, L. E., CNGA committeeman, Aug. 165.
Wright, L. H., Nov. 190.
Zook, Ralph T., speaks to API, Nov. 184.

Petroleum Refiner is Published Monthly by Gulf Publishing Company
3301 Buffalo Drive, Postoffice Box 2608, Houston 1, Texas